



# Life Science Laboratories, Inc.

---

Ed Witkowski  
Westhill School District  
4001 Walberta Ed.  
Syracuse, NY 13219

Phone: (315) 426-3396  
FAX: (315) 426-3397

## Laboratory Analysis Report

### Prepared For

### Westhill School District

LSL Project ID: 1617382

Receive Date/Time: 09/28/16 10:25

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody and the Sample Receipt documents submitted with these samples are considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

LSL Central Lab  
5854 Butternut Drive  
East Syracuse, NY 13057  
Tel. (315) 445-1900  
Fax (315) 445-1104  
NYS DOH ELAP #10248  
PA DEP #68-2556

LSL North Lab  
131 St. Lawrence Avenue  
Waddington, NY 13694  
Tel. (315) 388-4476  
Fax (315) 388-4061  
NYS DOH ELAP #10900

LSL Finger Lakes Lab  
16 N. Main St., PO Box 424  
Wayland, NY 14572  
Tel. (585) 728-3320  
Tel. (585) 728-2711  
Fax (585) 728-2711  
NYS DOH ELAP #11667

LSL Southern Tier Office  
Cuba, NY  
Tel. (585) 209-4032

LSL MidLakes Office  
Canandaigua, NY  
Tel. (585) 728-3320

Reviewed by:

  
LaDonna Kibler, Quality Assurance

Date:

1/6/17

# -- LABORATORY ANALYSIS REPORT --

*Westhill School District Syracuse, NY*

Sample ID: Lead Study LSL Sample ID: 1617382-001

Location:

Sampled: 09/22/16 5:44 Sampled By: EW

Sample Matrix: PW

Analytical Method	Prep Method	Prep	Analysis	Analyst
Analyte	Result	Units	Date & Time	Initials

(1) Lead Study

Number of Samples

111

MT

*Please refer to the chain of custody form on the last page of this report for the detailed descriptions of where these samples were taken.*



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-1  
**Lab ID:** K1612032-001A  
**Collection Date:** 09/22/16 5:44  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 0:43

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-2

**Lab ID:** K1612032-002A  
**Collection Date:** 09/22/16 5:44  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 0:45

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-3  
**Lab ID:** K1612032-003A  
**Collection Date:** 09/22/16 5:43  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 0:47

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-4  
**Lab ID:** K1612032-004A  
**Collection Date:** 09/22/16 5:43  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 0:49

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-5  
**Lab ID:** K1612032-005A  
**Collection Date:** 09/22/16 5:42  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0019	mg/L	12/06/16 0:54

**Qualifiers:** \* Value may exceed the Acceptable Level  
E Value exceeds the instrument calibration range  
J Analyte detected below the PQL  
P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Practical Quantitation Limit (PQL)  
S Spike Recovery outside accepted recovery limits



Life Science Laboratories, Inc.

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-6

**Lab ID:** K1612032-006A  
**Collection Date:** 09/22/16 5:40  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.031 *	mg/L	12/06/16 0:56

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-7  
**Lab ID:** K1612032-007A  
**Collection Date:** 09/22/16 5:41  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 0:58

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-8  
**Lab ID:** K1612032-008A  
**Collection Date:** 09/23/16 4:10  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0040	mg/L	12/06/16 1:00

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive  
East Syracuse, NY 13057 (315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-9

**Lab ID:** K1612032-009A  
**Collection Date:** 09/23/16 4:10  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0029	mg/L	12/06/16 1:02

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-10  
**Lab ID:** K1612032-010A  
**Collection Date:** 09/23/16 4:10  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0027	mg/L	12/06/16 1:04

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-11  
**Lab ID:** K1612032-011A  
**Collection Date:** 09/23/16 4:10  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0025	mg/L	12/06/16 1:06

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-12  
**Lab ID:** K1612032-012A  
**Collection Date:** 09/23/16 4:13  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 1:07

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-13  
**Lab ID:** K1612032-013A  
**Collection Date:** 09/23/16 4:13  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 1:09

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-14  
**Lab ID:** K1612032-014A  
**Collection Date:** 09/23/16 4:13  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 1:11

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





Life Science Laboratories, Inc.

5854 Butternut Drive

East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-15  
**Lab ID:** K1612032-015A  
**Collection Date:** 09/23/16 4:20  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0011	mg/L	12/06/16 1:17

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-16  
**Lab ID:** K1612032-016A  
**Collection Date:** 09/23/16 4:22  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0014	mg/L	12/06/16 1:19

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-17  
**Lab ID:** K1612032-017A  
**Collection Date:** 09/23/16 4:22  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0023	mg/L	12/06/16 1:21

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-18  
**Lab ID:** K1612032-018A  
**Collection Date:** 09/23/16 4:26  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0019	mg/L	12/06/16 2:56

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-19  
**Lab ID:** K1612032-019A  
**Collection Date:** 09/23/16 4:27  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0010	mg/L	12/06/16 3:16

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-20  
**Lab ID:** K1612032-020A  
**Collection Date:** 09/23/16 4:27  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
METALS BY ICPMS		EPA 200.8	(E200.2)
Lead	0.0016	mg/L	12/08/16 18:06

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-21  
**Lab ID:** K1612032-021A  
**Collection Date:** 09/23/16 4:31  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(E200.2)</b>
Lead	< 0.0010	mg/L	12/08/16 18:08

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range.
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



Life Science Laboratories, Inc.

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

# Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS  
Project: 1617382-Westhill School District  
Location:  
Matrix: PW

Client Sample ID: *WHSD-22*  
Lab ID: **K1612032-022A**  
Collection Date: 09/23/16 4:31  
Date Received: 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(E200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 3:27

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-23  
**Lab ID:** K1612032-023A  
**Collection Date:** 09/23/16 4:34  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(E200.2)</b>
Lead	0.0015	mg/L	12/06/16 3:31

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-24  
**Lab ID:** K1612032-024A  
**Collection Date:** 09/23/16 4:34  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(E200.2)</b>
Lead	0.0013	mg/L	12/08/16 18:10

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-25

**Lab ID:** K1612032-025A  
**Collection Date:** 09/23/16 4:35  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(E200.2)</b>
Lead	0.0012	mg/L	12/08/16 18:12

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-26  
**Lab ID:** K1612032-026A  
**Collection Date:** 09/23/16 4:35  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(E200.2)</b>
Lead	0.0019	mg/L	12/06/16 3:43

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057 (315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-27

**Lab ID:** K1612032-027A  
**Collection Date:** 09/23/16 4:40  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(E200.2)</b>
Lead	0.014	mg/L	12/06/16 3:47

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-28  
**Lab ID:** K1612032-028A  
**Collection Date:** 09/23/16 4:42  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(E200.2)</b>
Lead	0.012	mg/L	12/08/16 18:14

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057 (315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-29

**Lab ID:** K1612032-029A  
**Collection Date:** 09/23/16 4:45  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(E200.2)</b>
Lead	0.0014	mg/L	12/06/16 4:02

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-30  
**Lab ID:** K1612032-030A  
**Collection Date:** 09/23/16 4:45  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(E200.2)</b>
Lead	0.0010	mg/L	12/06/16 4:06

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-31  
**Lab ID:** K1612032-031A  
**Collection Date:** 09/23/16 4:50  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(E200.2)</b>
Lead	0.0038	mg/L	12/08/16 18:16

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-32  
**Lab ID:** K1612032-032A  
**Collection Date:** 09/23/16 4:50  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0034	mg/L	12/06/16 4:14

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-33  
**Lab ID:** K1612032-033A  
**Collection Date:** 09/23/16 4:54  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0033	mg/L	12/06/16 4:18

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-34  
**Lab ID:** K1612032-034A  
**Collection Date:** 09/23/16 4:53  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0023	mg/L	12/06/16 4:22

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive  
East Syracuse, NY 13057 (315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-35  
**Lab ID:** K1612032-035A  
**Collection Date:** 09/23/16 5:00  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 4:26

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-36

**Lab ID:** K1612032-036A  
**Collection Date:** 09/24/16 6:44  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 4:30

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-37  
**Lab ID:** K1612032-037A  
**Collection Date:** 09/24/16 6:42  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 4:34

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-38  
**Lab ID:** K1612032-038A  
**Collection Date:** 09/24/16 6:45  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0018	mg/L	12/06/16 15:59

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-39  
**Lab ID:** K1612032-039A  
**Collection Date:** 09/24/16 6:51  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:04

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-40  
**Lab ID:** K1612032-040A  
**Collection Date:** 09/24/16 6:47  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:06

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-41  
**Lab ID:** K1612032-041A  
**Collection Date:** 09/24/16 6:52  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:13

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-42  
**Lab ID:** K1612032-042A  
**Collection Date:** 09/24/16 6:49  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:15

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-43  
**Lab ID:** K1612032-043A  
**Collection Date:** 09/24/16 6:35  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:17

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-44  
**Lab ID:** K1612032-044A  
**Collection Date:** 09/24/16 6:35  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:24

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-45  
**Lab ID:** K1612032-045A  
**Collection Date:** 09/24/16 6:35  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:26

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive  
East Syracuse , NY 13057 (315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-46  
**Lab ID:** K1612032-046A  
**Collection Date:** 09/24/16 6:35  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:28

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-47  
**Lab ID:** K1612032-047A  
**Collection Date:** 09/24/16 6:39  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:31

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-48  
**Lab ID:** K1612032-048A  
**Collection Date:** 09/24/16 6:39  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:33

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-49  
**Lab ID:** K1612032-049A  
**Collection Date:** 09/24/16 6:40  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:39

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-50  
**Lab ID:** K1612032-050A  
**Collection Date:** 09/27/16 4:10  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:41

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-51

**Lab ID:** K1612032-051A  
**Collection Date:** 09/27/16 4:10  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:43

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-52  
**Lab ID:** K1612032-052A  
**Collection Date:** 09/27/16 4:15  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0076	mg/L	12/06/16 16:45

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-53  
**Lab ID:** K1612032-053A  
**Collection Date:** 09/27/16 4:16  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0031	mg/L	12/06/16 16:47

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive  
East Syracuse , NY 13057 (315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-54

**Lab ID:** K1612032-054A  
**Collection Date:** 09/28/16 4:18  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0013	mg/L	12/06/16 16:49

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-55  
**Lab ID:** K1612032-055A  
**Collection Date:** 09/27/16 4:17  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0017	mg/L	12/06/16 16:52

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-56  
**Lab ID:** K1612032-056A  
**Collection Date:** 09/27/16 4:29  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0017	mg/L	12/06/16 16:54

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-57  
**Lab ID:** K1612032-057A  
**Collection Date:** 09/27/16 4:31  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0025	mg/L	12/06/16 16:56

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-58  
**Lab ID:** K1612032-058A  
**Collection Date:** 09/27/16 4:30  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0035	mg/L	12/06/16 16:58

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057 (315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-59  
**Lab ID:** K1612032-059A  
**Collection Date:** 09/27/16 4:30  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0034	mg/L	12/06/16 17:04

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-60

**Lab ID:** K1612032-060A  
**Collection Date:** 09/27/16 4:36  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0037	mg/L	12/06/16 17:06

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-61

**Lab ID:** K1612032-061A  
**Collection Date:** 09/27/16 4:40  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0020	mg/L	12/06/16 17:08

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-62  
**Lab ID:** K1612032-062A  
**Collection Date:** 09/27/16 4:41  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0026	mg/L	12/06/16 17:10

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-63

**Lab ID:** K1612032-063A  
**Collection Date:** 09/27/16 4:42  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0025	mg/L	12/07/16 10:41

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-64  
**Lab ID:** K1612032-064A  
**Collection Date:** 09/27/16 4:35  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0031	mg/L	12/12/16

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-65

**Lab ID:** K1612032-065A  
**Collection Date:** 09/27/16 4:46  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/12/16

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-66  
**Lab ID:** K1612032-066A  
**Collection Date:** 09/27/16 4:46  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 17:56

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-67

**Lab ID:** K1612032-067A  
**Collection Date:** 09/27/16 4:46  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0016	mg/L	12/06/16 17:58

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-68  
**Lab ID:** K1612032-068A  
**Collection Date:** 09/27/16 4:45  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 18:00

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-69  
**Lab ID:** K1612032-069A  
**Collection Date:** 09/27/16 4:45  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 18:02

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive  
East Syracuse, NY 13057 (315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-70  
**Lab ID:** K1612032-070A  
**Collection Date:** 09/27/16 4:45  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 18:04

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-71  
**Lab ID:** K1612032-071A  
**Collection Date:** 09/27/16 5:07  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 18:05

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-72  
**Lab ID:** K1612032-072A  
**Collection Date:** 09/27/16 5:02  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 18:07

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-73  
**Lab ID:** K1612032-073A  
**Collection Date:** 09/27/16 5:05  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 18:09

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-74  
**Lab ID:** K1612032-074A  
**Collection Date:** 09/28/16 5:10  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 18:11

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-75  
**Lab ID:** K1612032-075A  
**Collection Date:** 09/28/16 5:12  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 18:13

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-76  
**Lab ID:** K1612032-076A  
**Collection Date:** 09/28/16 5:14  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 18:18

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-77  
**Lab ID:** K1612032-077A  
**Collection Date:** 09/27/16 5:15  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0028	mg/L	12/06/16 18:20

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-78  
**Lab ID:** K1612032-078A  
**Collection Date:** 09/27/16 4:55  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 18:22

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-79  
**Lab ID:** K1612032-079A  
**Collection Date:** 09/27/16 4:56  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 18:24

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-80

**Lab ID:** K1612032-080A  
**Collection Date:** 09/27/16 4:56  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 18:26

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-81

**Lab ID:** K1612032-081A  
**Collection Date:** 09/27/16 4:55  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 18:28

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-82  
**Lab ID:** K1612032-082A  
**Collection Date:** 09/27/16 5:00  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.025 *	mg/L	12/06/16 18:30

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-83  
**Lab ID:** K1612032-083A  
**Collection Date:** 09/27/16 5:01  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:44

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-84  
**Lab ID:** K1612032-084A  
**Collection Date:** 09/27/16 5:01  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:50

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-85

**Lab ID:** K1612032-085A  
**Collection Date:** 09/27/16 5:03  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:52

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-86

**Lab ID:** K1612032-086A  
**Collection Date:** 09/27/16 4:50  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.010	mg/L	12/06/16 16:54

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-87  
**Lab ID:** K1612032-087A  
**Collection Date:** 09/28/16 5:01  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:56

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-88  
**Lab ID:** K1612032-088A  
**Collection Date:** 09/28/16 5:00  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 17:01

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-89  
**Lab ID:** K1612032-089A  
**Collection Date:** 09/28/16 4:59  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 17:03

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-90

**Lab ID:** K1612032-090A  
**Collection Date:** 09/28/16 5:00  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 17:05

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive  
East Syracuse , NY 13057 (315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-91  
**Lab ID:** K1612032-091A  
**Collection Date:** 09/28/16 4:12  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 17:07

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-92

**Lab ID:** K1612032-092A  
**Collection Date:** 09/28/16 4:15  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 17:09

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-93  
**Lab ID:** K1612032-093A  
**Collection Date:** 09/28/16 4:15  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 17:11

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-94  
**Lab ID:** K1612032-094A  
**Collection Date:** 09/28/16 4:35  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 17:12

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-95  
**Lab ID:** K1612032-095A  
**Collection Date:** 09/28/16 4:35  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 17:14

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-96  
**Lab ID:** K1612032-096A  
**Collection Date:** 09/28/16 4:22  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 17:16

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive  
East Syracuse, NY 13057 (315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-97  
**Lab ID:** K1612032-097A  
**Collection Date:** 09/28/16 4:22  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 17:18

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-98

**Lab ID:** K1612032-098A  
**Collection Date:** 09/28/16 4:25  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/12/16

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-99  
**Lab ID:** K1612032-099A  
**Collection Date:** 09/28/16 4:44  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0011	mg/L	12/12/16

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-100  
**Lab ID:** K1612032-100A  
**Collection Date:** 09/28/16 4:50  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0011	mg/L	12/12/16

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-101  
**Lab ID:** K1612032-101A  
**Collection Date:** 09/28/16 5:06  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/12/16

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-102  
**Lab ID:** K1612032-102A  
**Collection Date:** 09/28/16 4:58  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/12/16

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-103  
**Lab ID:** K1612032-103A  
**Collection Date:** 09/28/16 4:18  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0011	mg/L	12/06/16 16:24

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-104

**Lab ID:** K1612032-104A  
**Collection Date:** 09/28/16 4:26  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0028	mg/L	12/06/16 16:26

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-105  
**Lab ID:** K1612032-105A  
**Collection Date:** 09/28/16 4:45  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0045	mg/L	12/06/16 16:28

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-106  
**Lab ID:** K1612032-106A  
**Collection Date:** 09/28/16 4:50  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0053	mg/L	12/06/16 16:30

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-107

**Lab ID:** K1612032-107A  
**Collection Date:** 09/28/16 4:40  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0010	mg/L	12/06/16 16:31

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-108  
**Lab ID:** K1612032-108A  
**Collection Date:** 09/28/16 5:25  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.016 *	mg/L	12/06/16 16:33

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-109  
**Lab ID:** K1612032-109A  
**Collection Date:** 09/28/16 5:04  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0020	mg/L	12/06/16 16:39

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-110

**Lab ID:** K1612032-110A  
**Collection Date:** 09/28/16 5:04  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:41

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1617382-Westhill School District  
**Location:**  
**Matrix:** PW

**Client Sample ID:** WHSD-111  
**Lab ID:** K1612032-111A  
**Collection Date:** 09/24/16 6:41  
**Date Received:** 09/28/16 10:25

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/06/16 16:43

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits

# Life Science Laboratories, Inc.

## Sample Receipt Checklist

LSL LIMS

**Project ID**

1617382

**Client ID:** Invoiced\_Government

**Shipment Number** 1

**SRC Completed By:** RSD2


**Date:** 10/17/2016 5:09:32 PM

<i>COC Date/Time</i>	<i>Received By</i>	<i>Carrier</i>	<i>ShippingID</i>
9/28/2016 10:25:00 AM	RSD2	LSL Field Services	
<i>Shipping container/cooler in good condition?</i>	Yes	<i>Sample containers intact?</i>	Yes
<i>Custody seal intact on shipping container/cooler?</i>	N/A	<i>Sufficient sample volume for indicated test?</i>	Yes
<i>Custody seals intact on sample bottles?</i>	N/A	<i>All samples received within holding time?</i>	Yes
<i>Chain of Custody present?</i>	Yes	<i>Container/Temp Blank temperature in compliance?</i>	Yes
<i>COC signed when relinquished and received?</i>	Yes	<i>Water - VOA vials have zero headspace?</i>	N/A
<i>COC agrees with sample labels?</i>	Yes	<i>Water - pH acceptable upon receipt?</i>	N/A
<i>Samples in proper containers/bottles?</i>	Yes	<i>Water - HNO3 added to unpreserved metal sample(s) to a pH of &lt;2?</i>	Yes

**Comments:**

**Corrective Action:**

**Reviewed By:**

 12/27/16



Life Science Laboratories, Inc.  
 5854 Butternut Drive  
 East Syracuse, NY 13057

Chain of Custody Record

11/16/2032 1617382

Invoiced Government

Phone # (315) 445-1900  
 Telefax # (315) 445-1104  
 Client: WESTHILLS ROAD DISTRICT  
 Address: 400 WALTERS RD  
 SYRACUSE, NY 13219  
 Phone # 406 33916  
 Fax # 406 33917

Contact Person: ED.  
 WITTKOWSKI  
 LSL Project #: 200  
 Client's Site I.D.:

LSL Sample Number	Client's Sample Identifications	Authorization:		Sample Date	Sample Time	Sample Type	Matrix	Preserv. Added	Containers # size/type	Analyses	Free Cl (mg/L)	Pres. Check
		grab	comp.									
WHSD-001	OHMSC BOSSSINK 1	9-22-16	5:44AM	X	NPW	None	1	250 mL	Lead		2.2	
002	OHMSC BOSSSINK 2		5:44AM	X			1					
003	OHMSC BOSSSINK 1		5:43AM	X			1					
004	OHMSC BOSSSINK 2		5:43AM	X	Samples Preserved							
005	OHMSC OUTSIDE F1		5:43AM	X	Upon Receipt at Lab							
006	OHMSC BOSSSINK 1		5:43AM	X			1					
007	OHMSC BOSSSINK 1		5:41AM	X			1					
				X			1					
				X			1					
				X			1					
				X			1					
				X			1					
				X			1					
				X			1					

SAMPLES MUST BE RECEIVED ON ICE

SAMPLES MUST BE RECEIVED ON ICE

SAMPLES MUST BE RECEIVED ON ICE

Notes and Hazard Identifications:

Custody Transfers

Print Name: ED WITTKOWSKI Signature: [Signature] Date: 9/28/16 7:05 AM

Relinquished By: Received By:

Relinquished By: Received for Lab By: R.D. Dink Date: 9/28/16 10:25

Shipment Method: 20°C



Life Science Laboratories, Inc.  
5854 Butternut Drive  
East Syracuse, NY 13057

Phone # (315) 445-1900  
Telefax # (315) 445-1104  
Client: WESTHILL SCHOOL DISTRICT Phone # 406-3394  
Address: 400 CALBERT RD Fax # 406-3397  
SORARUSE NY 13219

### Chain of Custody Record

1617382

Invoiced Government  
200

Contact Person: ED  
Client's Project I.D.: WITKOWSKI  
Client's Site I.D.:

LSL Sample Number	Client's Sample Identifications	Authorization:		Sample Date	Sample Time	Type	grab comp.	Matrix	Preserv. Added	Containers #	size/type	Analyses	Free Cl (mg/L)	Pres. Check
		Sample Date	Sample Time											
WHPD-008	AA SINK 1	9-23-16	4:10AM	X	NPW	None	1	250 mL			Lead		48	
009	AA SINK 2		4:10AM	X			1							
010	AA SINK 3		4:10AM	X			1							
011	AA SINK 4		4:10AM	X			1							
012	HEAD OFFICE SINK 1		4:13AM	X			1							
013	HEAD OFFICE SINK 2		4:13AM	X			1							
014	HEAD OFFICE SINK 3		4:13AM	X			1							
015	STAFF RM SINK		4:13AM	X			1							
016	A10 SINK		4:13AM	X			1							
017	A13 SINK		4:13AM	X			1							
018	KIT SINK 1		4:13AM	X			1							
019	KIT SINK 2		4:13AM	X			1							
020	KIT SINK 3		4:13AM	X			1							
021	A STAFF MENS SINK		4:13AM	X			1							

**Notes and Hazard identifications:**

SAMPLES MUST BE RECEIVED ON ICE      SAMPLES MUST BE RECEIVED ON ICE      SAMPLES MUST BE RECEIVED ON ICE

**Custody Transfers**

Sampled and Relinquished By: ED WITKOWSKI      Signature: [Signature]      Date: 9/28/16 10:05 AM

Print Name: ED WITKOWSKI

Received By:      Received By:      Received for Lab By: R. D. [Signature]      Date: 9/28/16 10:25

Relinquished By:      Relinquished By:      Relinquished By:      Date:      Date:      Date:

Shipment Method:      Samples Received Intact: Y      N      20°C



Life Science Laboratories, Inc.  
5854 Butternut Drive  
East Syracuse, NY 13057

# Chain of Custody Record

1617382

Invoiced Government

Phone # (315) 445-1900    Telefax # (315) 445-1104

Contact Person: ED

LSL Project #: 200

Client: WESTHILL SCHOOL DISTRICT

Address: 400 WALBERRA RD.

SYRACUSE, NY 13217

Client's Site I.D.: WITTKOWSKI

**Authorization:**

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type		Matrix	Preserv. Added	Containers #	Analyses	Free Cl (mg/L)	Pres. Check
				grab	comp.						
022	STAFF WOMENSINK	9/23/16	4:31AM	X		NPW	None	1	Lead		✓
023	BOYS RMSINK 1		4:31AM	X				1			
024	BOYS RMSINK 2		4:31AM	X				1			
025	GIRLS RMSINK 1		4:35AM	X				1			
026	GIRLS RMSINK 2		4:35AM	X				1			
027	RMB 4 SINK		4:40AM	X				1			
028	RMB 6 SINK		4:42AM	X				1			
029	BOYS RMSINK 1		4:45AM	X				1			
030	BOYS RMSINK 2		4:45AM	X				1			
031	RMCI SINK 1		4:50AM	X				1			
032	RMCI SINK 2		4:50AM	X				1			
033	RMCI SINK 1		4:54AM	X				1			
034	RMCI SINK 2		4:54AM	X				1			
035	RMICb SINK		5:00AM	X				1			

SAMPLES MUST BE RECEIVED ON ICE

SAMPLES MUST BE RECEIVED ON ICE

SAMPLES MUST BE RECEIVED ON ICE

Notes and Hazard identifications:

**Custody Transfers**

Print Name: ED WITTKOWSKI

Signature: [Signature]

Date: 9/23/16 7:05AM

Received By:

Received By:

Received for Lab By: R. D. [Signature]

Date: 9/23/16 10:25

Shipment Method:

Sammlac Recashed Infant. V N 2000

**LSL**  
 Life Science Laboratories, Inc.  
 5854 Butternut Drive  
 East Syracuse, NY 13057

**Chain of Custody Record**

**1617382**

Invoiced Government

Phone # (315) 445-1900

Contact Person: **ED**

LSL Project #: **200**

Client: **WESTHILL SCHOOL DISTRICT**

Address: **400 WALBERTA RD. SYRACUSE, NY 13219**

Phone # **406-3396**

Client's Site I.D.:

Fax # **406-3397**

Containers

Analyses

Pres. Check

**Authorization:**

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type grab comp.	Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
							#	size/type			
036	RM F1 SINK	09/24/16	6:44 AM	X	NPW	None	1	250 mL	Lead		LR
037	RM F2 SINK		6:48 AM	X			1				
038	RM F3 SINK		6:45 AM	X			1				
039	RM F4 SINK		6:51 AM	X			1				
040	RM F5 SINK		6:47 AM	X			1				
041	RM F6 SINK		6:52 AM	X		Samples Preserved					
042	RM F7 SINK		6:44 AM	X		Upon Receipt at Lab					
043	BOYS RMSINK 1F		6:35 AM	X			1				
044	BOYS RMSINK 2F		6:35 AM	X			1				
045	BOYS RMSINK 3F		6:35 AM	X			1				
046	BOYS RMSINK 4F		6:35 AM	X			1				
047	GIRLS RMSINK 1F		6:39 AM	X			1				
048	GIRLS RMSINK 2F		6:37 AM	X			1				
049	GIRLS RMSINK 3F		6:40 AM	X			1				

**SAMPLES MUST BE RECEIVED ON ICE**      **SAMPLES MUST BE RECEIVED ON ICE**      **SAMPLES MUST BE RECEIVED ON ICE**

**Notes and Hazard identifications:**

~~\* missing = Girls RMSINK 4F~~  
 06:41 AM  
 OK  
 on last page!

**Signature:** *[Signature]*  
**Received By:**  
**Received By:**  
**Received for Lab By:** *[Signature]*  
**Date:** 9/28/16 10:35  
**Time:** 20°C



Life Science Laboratories, Inc.  
5854 Butternut Drive  
East Syracuse, NY 13057

# Chain of Custody Record

1617382

Invoiced Government

Client: WESTHILLS SCHOOL DISTRICT Phone # 406-3396  
 Address: 400 CARVER RD. Fax # 406-3397  
SYRACUSE, NY 13219

Client's Site I.D.: \_\_\_\_\_

Contact Person: ED LSL Project #: \_\_\_\_\_

LSL Sample Number	Client's Sample Identifications	Authorization:		Sample Date	Sample Time	Type grab comp.	Matrix	Preserv. Added	Containers # size/type	Analyses	Free Cl (mg/L)	Pres. Check
		Sample Date	Sample Time									
050	C STAFF MENS SINK	9/17/16	4:10AM	X	NPW	None	1	250 mL	Lead		✓	
051	C STAFF WOMENS SINK		4:10AM	X			1					
052	RYNDY-SINK		4:15AM	X			1					
053	RYNDY-SINK		4:16AM	X			1					
054	D-BOYS BASKET SINK 1	9/18/16	4:18AM	X			1					
055	D-BOYS BASKET SINK 2		4:17AM	X		Samples Preserved						
056	RM1E1 SINK		4:27AM	X		Upon Receipt at Lab						
057	RM1E2 SINK 1		4:31AM	X			1					
058	RM1E2 SINK 2		4:30AM	X			1					
059	RM1E2 SINK 3		4:30AM	X			1					
060	RM1E3 SINK		4:35AM	X			1					
061	RM1E4 SINK 1		4:40AM	X			1					
062	RM1E4 SINK 2		4:41AM	X			1					
063	RM1E4 SINK 3		4:43AM	X			1					

**SAMPLES MUST BE RECEIVED ON ICE**

**SAMPLES MUST BE RECEIVED ON ICE**

**Custody Transfers**

Print Name: ED WITKOWSKI Signature: [Signature]

Received By: \_\_\_\_\_ Date: 9/18/16 7:05 AM

Relinquished By: \_\_\_\_\_ Received By: \_\_\_\_\_

Relinquished By: \_\_\_\_\_ Received for Lab By: R. P. [Signature] Date: 9/18/16 10:25

Shipment Method: \_\_\_\_\_



Life Science Laboratories, Inc.

5854 Butternut Drive  
East Syracuse, NY 13057

# Chain of Custody Record

1617382

Phone # (315) 445-1900

Telex # (315) 445-1104

Invoiced Government

Client:

WEST HILL CENTRAL SCHOOL DISTRICT

Contact Person:

ED WATKOWSKI

Address:

400 WALBERTA RD.  
SYRACUSE, N.Y. 13219

Phone # 426 3396

Fax # 426 3397

Client's Site I.D.:

200

### Authorization:

Client's Project I.D.:

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type grab comp.	Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
							#	size/type			
WASD-064	E SMITH SINK	9/27/16	4:35AM	X	NPW	None	1	250 mL	Lead		LR
065	E BOYS SINK 1		4:40AM	X			1				
066	E BOYS SINK 2		4:40AM	X			1				
067	E BOYS SINK 3		4:40AM	X			1				
068	E GIRLS SINK 1		4:45AM	X		Samples Preserved					
069	E GIRLS SINK 2		4:45AM	X		Upon Receipt at Lab					
070	E GIRLS SINK 3		4:45AM	X			1				
RE-UNLABELED	E SMITH RESTROOM SINK		4:50AM	X			1				
071	RMIGI SINK		5:07AM	X			1				
072	RMIGI SINK		5:08AM	X			1				LR
073	RMIGI SINK		5:05AM	X			1				
074	RMIGI SINK	9/28/16	5:10AM	X			1				
075	RMIGI SINK		5:10AM	X			1				
076	RMIGI SINK		5:14AM	X			1				

SAMPLES MUST BE RECEIVED ON ICE

SAMPLES MUST BE RECEIVED ON ICE

SAMPLES MUST BE RECEIVED ON ICE

Notes and Hazard identifications:

### Custody Transfers

Print Name: ED WATKOWSKI

Signature:

Date: 9/28/16 7:05 AM

Received By:

Relinquished By:

Received By:

Relinquished By:

Received for Lab By: R.D. [Signature]

Shipment Method:

20°C





Life Science Laboratories, Inc.  
5854 Butternut Drive  
East Syracuse, NY 13057

### Chain of Custody Record

1617382

Invoiced Government

Phone # (315) 445-1900

LSL Project #:

Client: WESTHILLSchool District  
Address: 400 CALBERTIA RD.  
SYRACUSE, NY 13219

Contact Person: ED  
WITTKOWSKI  
Client's Site I.D.:  
Client's Project I.D.:

200

LSL Sample Number	Client's Sample Identifications	Authorization:		Sample Date	Sample Time	Type grab comp.	Matrix	Preserv. Added	Containers # size/type	Analyses	Free Cl (mg/L)	Pres. Check
		Sample Date	Sample Time									
WHSD-077	RYNGLSINK	9/27/16	5:15AM	X	NPW	None	1	250 mL	Lead		22	
078	G BOYSINK 1		4:15AM	X			1					
079	G BOYSINK 2		4:30AM	X			1					
080	G BOYSINK 3		4:55AM	X			1					
081	G BOYSINK 4		4:55AM	X			1					
082	G GIRLSINK 1		5:00AM	X			1					
083	G GIRLSINK 2		5:01AM	X			1					
084	G GIRLSINK 3		5:01AM	X			1					
085	G GIRLSINK 4		5:03AM	X			1					
086	G HANGCOPSINK		9/27/16	X			1					
087	CONCHES DRAIN SINK		9/28/16	X			1					
088	GYM STORAGE FRET		9/28/16	X			1					
089	BOYS LOCKERS 1		9/28/16	X			1					
090	BOYS LOCKERS 2		9/28/16	X			1					

**SAMPLES MUST BE RECEIVED ON ICE**      **SAMPLES MUST BE RECEIVED ON ICE**

**Notes and Hazard identifications:**

**SAMPLES MUST BE RECEIVED ON ICE**      **SAMPLES MUST BE RECEIVED ON ICE**

**Custody Transfers**

Print Name: ED WITTKOWSKI      Signature: *[Signature]*

Received By:      Received By:      Received for Lab By: *[Signature]*      Date: 9/28/16 10:25

Relinquished By:      Relinquished By:      Relinquished By:      Date: 9/28/16 10:25

Shipment Method:      Samples Received Infant:      20°C



Life Science Laboratories, Inc.  
5854 Butternut Drive  
East Syracuse, NY 13057

### Chain of Custody Record

1617382

Invoiced Government

Phone # (315) 445-1900    Telefax # (315) 445-1104

Contact Person: **ED**  
LSL Project #: **200**

Client: **WESTHILL SCHOOL DISTRICT**  
Address: **400 WALBERTA RD.**  
**SARASOTA, FL 34199**

Phone # **906 3396**  
Fax # **906 3397**

Client's Site I.D.:

**Authorization:**

Client's Project I.D.:

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type		Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
				grab	comp.			#	size/type			
WHS-091	DF OAFG	9/28/16	4:10AM	X		NPW	None	1	250 mL	Lead		LR
092	DF OUTSIDE CAFETERIA		4:15AM	X				1				
093	DF OUTSIDE CAFETERIA		4:15AM	X				1				
094	DF EATING BY BUS STOP		4:35AM	X				1				
095	DF CONNEDY BUS STOP		4:35AM	X			Samples Preserved					
096	DF FLYING BY BUS STOP		4:38AM	X			Upon Receipt at Lab					
097	DF FLYING BY BUS STOP		4:38AM	X				1				
098	DF EATING BY BUS STOP		4:25AM	X				1				
099	DF EATING BY BUS STOP		4:44AM	X				1				
100	DF EATING BY BUS STOP		4:50AM	X				1				
101	DF Gym		5:00AM	X				1				
102	DF OUTSIDE GYM		4:58AM	X				1				
	LABORATORY			X				1				
103	LABORATORY		4:18AM	X				1				LR

SAMPLES MUST BE RECEIVED ON ICE

SAMPLES MUST BE RECEIVED ON ICE

SAMPLES MUST BE RECEIVED ON ICE

Notes and Hazard identifications:

Custody Transfers

Sampled and Relinquished By:

Signature: *[Signature]*

Date: *9/28/16 7:05 AM*

Print Name: **ED WITKOWSKI**

Received By:

Received By:

Received for Lab By: *R.D. [Signature]*

Date: *9/28/16 10:25*

Shipment Method:

Samples Received Intact: *Y* *N*

*20°C*



Life Science Laboratories, Inc.  
5854 Butternut Drive  
East Syracuse, NY 13057

### Chain of Custody Record

1617382

Invoiced Government  
200

Client: WESTHILL SCHOOL DISTRICT Phone # 406 3396  
Address: 400 BARBERA RD. Fax # 406 337  
SARASOTA, FL 34197

Contact Person: ED WITKOWSKI

LSL Project #:

Client's Site I.D.:

**Authorizations:**

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type		Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
				grab	comp.			#	size/type			
104	SANITOR BOWLING	9/28/16	4:26AM	X		NPW	None	1	250 mL	Lead		LD
105	SANITOR BOWLING		4:50AM	X				1				
106	SANITOR BOWLING		4:50AM	X				1				
107	SANITOR BOWLING		4:40AM	X				1				
108	SANITOR BOWLING			X			Preserved	1				
109	ICE MAKER		5:00AM	X			Upon Receipt at Lab	1				
110	GIRSLUCKERS 1	9/28/16	5:00AM	X				1				
111	GIRSLUCKERS 2	9/28/16	5:00AM	X				1				
112	GIRSLUCKERS 4F	9/28/16	6:41AM	X				1				
				X				1				
				X				1				
				X				1				
				X				1				
				X				1				

SAMPLES MUST BE RECEIVED ON ICE      SAMPLES MUST BE RECEIVED ON ICE

**Custody Transfers**

Print Name: ED WITKOWSKI Signature: [Signature] Date: 9/28/16 7:05 AM

Relinquished By: \_\_\_\_\_ Received By: \_\_\_\_\_

Relinquished By: \_\_\_\_\_ Received for Lab By: R. D. Dush Date: 9/28/16 10:25

Shipment Method: \_\_\_\_\_ Samples Returned Intact: V N